PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5: A61K 7/02, 9/107		(11) International Publication Number: WO 94/26234		
		(43) International Publication Date: 24 November 1994 (24.11.94)		
(21) International Application Number: PCT/US (22) International Filing Date: 6 May 1994 (CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT.		
(30) Priority Data: 08/058,556 6 May 1993 (06.05.93)	τ	Published S With international search report.		
(60) Parent Application or Grant (63) Related by Continuation US 08/058,5 Filed on 6 May 1993 (6 (71) Applicant (for all designated States except US): IBA [US/US]; Four Valley Square, 512 Township Lin Blue Bell, PA 19422 (US).	06.05.9 AH, IN	5) C.		
 (72) Inventor; and (75) Inventor/Applicant (for US only): YIV, Seang, H. 800 Rockwood Road, Wilmington, DE 19802 (US) (74) Agents: ELDERKIN, Dianne, B. et al.; Woodcock V. Kurtz Mackiewicz & Norris, 46th floor, One Liber Philadelphia, PA 19103 (US).). Vashbu	n i		
(54) Title: WATER-IN-OIL EMULSION COMPOSITION	NS .			

(57) Abstract

Water-in-oil emulsions having a petrolatum base are provided which display superior qualities for use as lip balm compositions. The emulsions contain up to about 5 weight percent water and are preferably formulated as microemulsions. The compositions preferably also contain a wax, an oil, and a humectant component.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MIR	Mauritania
ΑÜ	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	BU	Hungary	NO	Norway
BG	Bulgaria	Œ	Ireland	NZ	New Zealand
BJ	Benin	ΠŤ	Italy	PL	Poland
BR	Brazil	JP	Јарап	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgystan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic	SD	Sudan
CG	Congo		of Korea	SE	Sweden
CH	Switzerland	KR	Republic of Korea	SI	Slovenia
CI	Côte d'Ivoire	KZ	Kazakhstan	SK	Slovakia
CM	Cameroon	LI	Liechtenstein	SN	Senegal
CN	China	LK	Sri Lanka	TD	Chad
CS	Czechoslovakia	LU	Luxembourg	TG	Togo
CZ	Czech Republic	LV	Latvia	TJ	Tajikistan
DE	Germany	MC	Monaco	TT	Trinidad and Tobago
DK	Denmark	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	US	United States of America
FI	Finland	ML	Mali	UZ	Uzbekistan
FR	France	MN	Mongolia	VN	Vict Nam
-	Cohen	,			

WATER-IN-OIL EMULSION COMPOSITIONS

This application is a continuation-in-part of U.S. application S.N. 08/058,556 filed May 6, 1993.

Field of the Invention

The present invention relates to water-in-oil emulsion systems having a petrolatum base. More specifically, the emulsion systems contain a blend of petrolatum and waxes and are used as lip balm formulations.

Background of the Invention

Lip balm products are commonly used by individuals who suffer from dry or chapped lips. The conditions for causing chapped lips varies widely, and common factors include exposure of the lips to wind, sun, or dry humidity environments.

15 Treatment for chapped lips commonly requires application of petrolatum-based lip balm compositions. However, these petrolatum compositions are characterized as being short lasting and require repeated applications for extended protection against chapped lips. Certain lip balms 20 are formulated with lipophilic active agents which are solubilized in the lipophilic base constituents of the lip balms.

A need exists in the art to provide a lip balm composition which is characterized as being long-lasting.

The lip balm should provide the requisite occlusivity effects and also be smooth upon application. It is a further need to provide a lip balm composition which is capable of containing a hydrophilic active agent in solubilized form.

Summary of the Invention

The present invention provides both water-in-oil (w/o) emulsion compositions containing petrolatum and methods for using the compositions. The emulsions can be formulated with either a solubilized hydrophilic or lipophilic, or both, biologically, and preferably therapeutically, active material. The emulsion compositions are preferably employed as lip-balm compositions; however, the compositions can also be used for the treatment of topical indications. The emulsion compositions have been found to produce superior lip balms which are characterized by providing protection to the lips for a longer period of time than petrolatum based compositions that are not emulsion systems.

The w/o emulsion compositions of the present

15 invention contain up to about 5 weight percent water, from
about 25 to about 85 weight percent petrolatum, from about
0.1 to about 10 weight percent of a surfactant component, the
surfactant component being present in an amount sufficient to
form a w/o emulsion, and from about 15 to about 40 weight
20 percent of a wax component. The emulsion also preferably
contains an oil and a humectant.

Detailed Description of the Invention

The present invention concerns water-in-oil (w/o) emulsion compositions. Emulsions are defined as compositions which contain water (or aqueous phase), a lipid (referred to as "oil") phase, and a surfactant mixture such that the aqueous phase is a discontinuous phase within the continuous lipid phase. In a preferred embodiment, the emulsion is a microemulsion and the particle size of the aqueous phase is below about 200 nanometers, preferably from about 10 to about 150 nanometers, more preferably from about 25 to about 100 nanometers. The w/o microemulsion compositions can be recognized by such simple tests as (1) visual observation - presence of a transparent stable system; (2) dye
35 solubilization - a water soluble dye will remain in its original form in a w/o microemulsion; (3) conductivity

analysis - w/o microemulsions do not conduct electricity

- 3 -

well. The emulsion compositions of the present invention display superior qualities for use as lip balm formulations and are retained on the lips for an extended period of time.

The water content of the w/o emulsion composition
5 is up to about 5 weight percent, preferably from about 0.1 to
about 3 weight percent, and more preferably from about 0.25
to about 2 weight percent.

The w/o emulsion compositions of the present invention preferably also contain one or more humectants that can improve the retention of the water of the emulsion. Humectants include glycerin, propylene glycol, polyethylene glycol, gelatin, collagen, methyl glucose ethoxylates and propoxylates. The preferred amount of the humectant is from about 0.1 to about 10, more preferably from about 0.3 to about 5, weight percent of the emulsion. The preferred humectant is GLUCAM® E-20, or methyl glucose propoxylate-20.

The lipophilic phase of the w/o emulsion compositions comprises from about 90 to about 99 weight percent, preferably from about 93 to about 99 weight percent, of the w/o emulsion composition. The lipophilic phase contains a combination of petrolatum, wax, and optionally an oil, such as lanolin oil and C₉₋₈₃ triglycerides, or mixtures thereof.

Petrolatum, as that term is used herein, refers to a purified mixture of semisolid hydrocarbons obtained from petroleum, and is generally of USP grade, and the petrolatum is preferably white petrolatum. The petrolatum can be generally described as a yellowish to light amber or white, semisolid, unctuous mass having a density of from about 0.820-0.865, a melting point of from about 38-54°C, and a refractive index of about 1.460-1.474. The petrolatum is present in an amount from about 25 to about 85 weight percent, preferably from about 60 to about 85 weight percent, of the w/o emulsion. Commercially available petrolatums include Penreco Cream, Penreco Snow, and Penreco Ultima all from Penreco, a division of Penzoil Products Co., and also Fonoline White and Perfecta USP from Witco Corp.

PCT/US94/05077 WO 94/26234

- 4 -

The wax component of the lipophilic phase of the w/o emulsions is preferably pharmaceutically acceptable for topical and/or mucosal administrations. Examples of suitable waxes include C_{20-80} , preferably C_{40-60} synthetic or natural 5 waxes. Waxes which can be employed in the w/o emulsions are those waxes listed in Cosmetic, Toiletry and Fragrance Association Cosmetic Ingredient Handbook, Washington, DC (1988), which is incorporated herein in its entirety and include such compounds as beeswax, ozokerite, bayberry wax, 10 carnauba, hydrogenated jojoba wax, japan wax, montan wax, synthetic waxes, and mixtures thereof. The preferred waxes to be incorporated in the w/o emulsion are beeswax, ozokerite, and mixtures thereof. The wax is present from about 15 to about 40, more preferably from about 20 to about 15 35, weight percent of the w/o emulsion composition. component can also be presented into the emulsion composition as a blend together with the petrolatum component of the

lipophilic phase. The w/o emulsions of the present invention can also 20 include a pharmaceutically-acceptable natural or synthetic oil as part of the lipophilic phase. The oil is preferably a C_{9-83} triglyceride, C_{7-55} diester of propylene glycol, or a mixture thereof. Commercially available oils which are acceptable for use in the w/o emulsions of the present 25 invention include the Captex series, manufactured by Karlshamns Lipid Specialties, Columbus, Ohio; the Pureco series, manufactured by Karlshamns Lipid Specialties, such as Pureco 110 which is a partially hydrogenated coconut and palm oil mixture with a melting range of 112-115°F.; Softisan 30 series, manufactured by Hüls America, such as the Softisan 100, which is a mixture of hydrogenated coco-glycerides; and the Myglycol series manufactured by Hüls America. The oil component can be present in the w/o emulsions in an amount from 1 to about 50 weight percent, preferably from 1 to about 35 10 weight percent.

Lanolin, preferably in its oil form, is a preferred component of the lip balm formulation and is present in the

emulsion in an amount of from about 0.05 to about 10, preferably from about 0.1 to about 5, weight percent. Lanolin is generally known as the purified, fat-like substance from the wool of sheep. Lanolin oil is the liquid fraction of lanolin obtained by physical extraction from whole lanolin, and both of these compositions have emolient properties beneficial to the skin. Commercially available lanolin and derivatives include pharmaceutical lanolin USP, Fluilan Lanolin oil, manufactured by Croda Inc., Edison, NJ, Anhydrous Lanolin USP AAA and Lanogene Lanolin oil manufactured by Amerchol, Edison, NJ.

A surfactant or a mixture of surfactants, the surfactant component, is incorporated into the mixture of the aqueous and lipophilic phases in order to prepare the resulting emulsion. Surfactants which may be employed in the w/o emulsions include both ionic surfactants, i.e., cationic, anionic or zwitterionic, and non-ionic surfactants, or mixtures thereof. The surfactant component is present in the emulsion in an amount of from about 0.1 to about 10, preferably from about 0.2 to about 5, weight percent of the w/o emulsion composition.

Suitable cationic surfactants include, among others, cetyldimethylethylammonium bromide, cetylpyridinium chloride and other salts of these surfactants.

Anionic surfactants include, among others, fatty acids and salts thereof, cholic acids and derivatives thereof, diesters of tartaric acid, phospholipids, monoesters of lactic acid, and sulfanates.

Zwitterionics include such phospholipids as 30 lecithin, phosphatidylethanolamine, and sphingomyelins.

Nonionic surfactants include such surfactants as methyl glucoside derivatives, polyglycerol esters, preferably decaglycerol mono, di/trioleate, triglycerol monooleate, monoglycerides and ethoxylated derivatives thereof.A

35 preferred nonionic surfactant is Glucate SS manufactured by

35 preferred nonionic surfactant is Glucate SS manufactured by Amerchol in Edison, NJ. Glucate SS is a sesquiester of stearic acid and methyl glucoside.

- 6 -

The w/o emulsions of the present invention can also be formulated to include both hydrophilic and lipophilic biologically active agents, preferably in solublized form when admixed with the emulsion composition. The active agent is preferably also therapeutically active when given in an effective dosage. The incorporation of the active agent is advantageous when the w/o emulsion is used as either a lip balm or as a treatment for topical indications such as a cold sore, i.e., mouth sore, composition.

The w/o emulsions can also be formulated with minor amounts of flavorants to improve the taste. Examples include fruit flavorants such as cherry, grape, and orange, and other flavorants such as menthol.

10

The w/o emulsions of this invention can readily be

15 prepared by simply mixing together with mild agitation the
selected components in the desired ratios at room temperature
or at slightly elevated temperatures. No high-energy mixing
is necessary to prepare the microemulsions. The ingredients
do not have to be added in any particular order; however, it

20 is preferred to first prepare an aqueous and a lipophilic
mixture and then combine these two mixtures to form the w/o
emulsions.

In certain circumstances, a lip balm having an increased hardness is desired due to its perceived ease of application. It has been found that the hardness can be increased by first admixing all of the ingredients, without the addition of the water, and this mixture is brought to a temperature of between 60-75°C, preferably about 70°C. The water is then admixed with the other ingredients at that temperature. The composition is poured into appropriate lip balm containers at a temperature of from about 70-80°C, and allowed to cool to about 22°C in the containers.

The resultant hardness of the lip balms, determined using a Precision Universal penetrometer with a 39° angle,

14.3 g cone with aluminum tip and plastic collar, is preferably below about 4 mm, more preferably below about 3.7 mm, and even more preferably below about 3.5 mm.

- 7 -

The invention will now be illustrated by, but is not limited in scope to, the following examples.

Examples

The following formulations of w/o emulsion

5 compositions were, for convenience, prepared without the
presence of an active agent. It is understood, however, that
either a hydrophilic or lipophilic biologically and/or
therapeutically active agent could be incorporated into the
w/o emulsion composition. The physical characteristics of

10 the emulsions can be tested including such properties as
viscosity, conductance, and refractive indices.

Example 1

A water-in-oil emulsion was prepared by first placing about 34 g of Pureco 110, 3.5 g Glucate SS, 0.5 g

15 Lanolin oil, 2 g GLUCAM® E-20, 260 g white petrolatum, and 111 g of bees wax into a 600 ml beaker. The beaker was covered and the mixture was heated to about 75°C wherein all of the components were in a molten state. The mixture was stirred until a clear homogeneous solution was obtained. To this mixture was added 1.5 g sterile water, 0.4 g cherry flavor and 0.07 g of 0.18% wt. menthol in glycerin with continuous mixing.

The flowable liquid was poured into lip balm tubes and allowed to cool and solidify. The lip balm formulation was found to have long lasting characteristics when placed on the lips and worn over an extended period of time. The lip balm had the following weight composition:

TABLE 1.1

COMPONENT	TNUOMA
White Petrolatum	63.0% wt
Bees Wax	26.9% Wt
Pureco 110	8.3% wt
Lanolin oil	0.1% wt
Glucate SS	0.8% wt
Glucam E-20	0.5% wt
Sterile water	0.4% wt
Cherry flavor	0.1% wt
Glycerin	167 ppm
Menthol	0.3 ppm

Example 2

The same procedure as set forth in Example 1 was used, except that the white petrolatum was replaced by using Ultima Petrolatum, which contains ozokerite wax, and the resulting lip balm formulation was found to be long lasting.

Example 3

The same procedure as set forth in Example 2 was used, except that the composition of the w/o emulsion was varied as set forth in the following table.

- 9 **-**

TABLE 3.1

COMPONENT	WT %		
	A	В	С
Petrolatum	25.0	25.0	33.3
Bees-Wax	25.0	24.6	33.3
Pureco 110	42.0	41.4	27.9
Generol 122 (E-5)ª	0.3		2.0
Lanolin oil	0.6	0.6	0.4
Cremophor ELb	2.5		1.6
Glucate SS		4.2	
H ₂ O (sterile)	1.9	1.8	1.5

a - Generol 122 (E-5) - ethoxylated (EO=5) soya sterol (Henkel Corp.)

b - Cremophor El - Polyoxyethylene glycerol Triricinoleate 35
DAC (BASF, Inc.)

What is claimed is:

5

 A water-in-oil (w/o) emulsion composition, comprising:

- (a) up to about 5 weight percent water;
- (b) from about 25 to about 85 weight percent petrolatum;
- (c) from about 0.1 to about 10 weight percent of a surfactant component, the surfactant component being present in an amount sufficient to form a w/o emulsion; and
- 10 (d) from about 15 to about 40 weight percent of a wax.
 - 2. The composition of claim 1 wherein the petrolatum comprises from about 60 to about 85 weight percent of the composition.
- 3. The composition of claim 2 wherein the emulsion is a water-in-oil microemulsion.
 - 4. The composition of claim 2 further comprising from about 0.05 to about 10 weight percent lanolin oil.
- 5. The composition of claim 2 further comprising 20 from about 1 to about 50 weight percent of a C_{10-20} triglyceride oil.
 - 6. The composition of claim 2 wherein the wax comprises from about 20-35 weight percent of the composition.
- 7. The composition of claim 6 wherein the oil 25 comprises from about 1 to about 10 weight percent of the composition.
 - 8. The composition of claim 2 further comprising from about 0.1 to about 10 weight percent of a humectant.

- 11 -

- 9. The composition of claim 8 wherein the humectant comprises methyl glucose propoxylate-20.
- 10. The composition of claim 2 further comprising a biologically active agent.
- 5 11. A water-in-oil (w/o) emulsion composition, comprising:
 - (a) up to about 5 weight percent water;
 - (b) from about 60 to about 85 weight percent petrolatum;
- (c) from about 0.1 to about 10 weight percent of a surfactant component, the surfactant component being present in an amount sufficient to form a w/o emulsion;
 - (d) from about 15 to about 40 weight percent of a wax; and
- (e) from about 0.1 to about 10 weight percent of an oil.
 - 12. The composition of claim 11 wherein the oil comprises lanolin oil.
- 13. The composition of claim 12 further comprising 20 from about 0.1 to about 10 percent by weight of a humectant.
 - 14. The composition of claim 13 wherein the surfactant component comprises a sesquiester of stearic acid and methyl glucoside.
- 15. The composition of claim 13 wherein the emulsion 25 is a water-in-oil microemulsion.
 - 16. A method of protecting the human mouth lips, comprising:
 - (a) providing a water-in-oil (w/o) emulsion composition comprising:
- 30 (i) up to about 5 weight percent water;

- 12 -

- (ii) from about 25 to about 85 weight percent
 petrolatum;
- - (b) applying the water-in-oil microemulsion composition to a human mouth lip.
- 17. The method of claim 9 wherein the petrolatum comprises from about 60 to about 85 weight percent of the composition.
 - 18. The method of claim 17 wherein the emulsion is a water-in-oil microemulsion.
- 19. The method of claim 17 wherein the water-in-oil emulsion further comprises from about 0.05 to about 10 weight percent of lanolin oil.
- 20. The method of claim 19 wherein the water-in-oil emulsion further comprises a humectant comprising methyl 20 glucose propoxylate-20.



International application No. PCT/US94/05077

		<u> </u>			
A. CLASSIFICATION OF SUBJECT MATTER					
	:A61K 7/02, 9/107 :424/401, 64; 514/937, 938, 943				
According t	According to International Patent Classification (IPC) or to both national classification and IPC				
	LDS SEARCHED				
Minimum d	ocumentation searched (classification system followe	d by classification symbols)			
	424/401, 64; 514/937, 938, 943	,,			
Documentat	tion searched other than minimum documentation to th	e extent that such documents are included	in the fields searched		
Electronic d	lata base consulted during the international search (n	ame of data base and, where practicable	, search terms used)		
		-	•		
C. DOC	UMENTS CONSIDERED TO BE RELEVANT				
Category*	Citation of document, with indication, where a	ppropriate, of the relevant passages	Relevant to claim No.		
Υ	US, A, 5,108,737 (DUNPHY ET	AL) 28 April 1992, see	1-20		
	particularly column 4, lines 20-55		. 23		
Y	US, A, 4,226,889 (YUHAS)	07 October 1980, see	1-13,15-20		
	particularly Example 5.				
Y	LIS A 4 880 621 /GPOLLIER ET	ALL 14 November 1989	1 0 10 10		
•	US, A, 4,880,621 (GROLLIER ET see particularly column 5, line 4.	AL) 14 November 1969,	1-8,10-19		
	see particularly column 5, line 4.				
		·			
		į (
ļ	•				
		İ			
<u>·</u>					
Furth	er documents are listed in the continuation of Box C	See patent family annex.			
• Spe	ocial categories of cited documents:	"T" inter document published after the inte			
	cument defining the general state of the art which is not considered be part of particular relevance	date and not in conflict with the applica principle or theory underlying the inve			
	tier document published on or after the international filing date	"X" document of particular relevance; the			
"L" doc	rument which may throw doubts on priority claim(s) or which is	considered novel or cannot be consider when the document is taken alone	ten to myotye an myennye step		
cite spe	ed to establish the publication date of another citation or other cital reason (as specified)	"Y" document of particular relevance; the considered to involve an inventive			
O doc	rument referring to an oral disclosure, use, exhibition or other	combined with one or more other such being obvious to a person skilled in th	documents, such combination		
°P° doc	cument published prior to the international filing date but later than priority date claimed	*& * document member of the same patent			
Date of the actual completion of the international search Date of mailing of the international search report					
08 AUGU	ST 1994	SEP 0 6 1994			
Name and mailing address of the ISA/US Authorized officer					
	ner of Patents and Trademarks	Lenew	eaver for		
Washington	, D.C. 20231	Aut Hobbita			
Facsimile N	o. (703) 305-3230	Telephone No. (703) 308-2351			